

## 2017

<b>Mallard</b>	<i>Anas platyrhynchos</i>	16.03
<b>Red-legged Partridge</b>	<i>Alectoris rufa</i>	6.03
		15.03
		24.03
		4.07
		14.07
		26.12
<b>Grey Partridge</b>	<i>Perdix perdix</i>	9.04
		4.05
<b>Pheasant</b>	<i>Phasianus colchis</i>	9.01
		24.01
		5.02
		15.03
		24.03
		5.04
		5.05
		25.05
		5.06
		13.07
		3.07
		4.07
		27.08
		2.09
		26.09
		27.10
		15.11
		20.11
		3.12
		19.12
<b>Grey Heron</b>	<i>Ardea cinerea</i>	3.01
		9.01
		24.01

		29.01
		3.12
		3.02
<b>Sparrowhawk</b>	<i>Accipiter nisus</i>	3.07
		19.12
<b>Red Kite</b>	<i>Milvu milvus</i>	6.02
		12.06
<b>Buzzard</b>	<i>Buteo buteo</i>	16.1
		2.03
<b>Lapwing</b>	<i>Vanellus vanellus</i>	?01
<b>Stock Dove</b>	<i>Columba oenas</i>	5.01
		5.02
		25.05
		12.06
		15.08
<b>Woodpigeon</b>	<i>Columba pulumbus</i>	5.04
		5.06
		12.06
		30.06
		3.07
		4.07
		13.07
		14.07
		30.07
		15.08
		27.08
		2.09
		10.09
		26.09
		8.10
<b>Collared Dove</b>	<i>Streptopelia decaocto</i>	10.09
		9.04
<b>Barn Owl</b>	<i>Tyto alba</i>	23.03

		23.06
<b>Swift</b>	<i>Apus apus</i>	5.06
		12.06
<b>Great Spotted Woodpecker</b>	<i>Dendrocopos major</i>	5.05
<b>Kestrel</b>	<i>Falco tinnunculus</i>	3.01
		5.01
		24.01
		5.02
		15.03
		30.06
		3.07
		4.07
		13.07
		14.07
		30.07
		15.11
		3.12
		19.12
		26.12
<b>Jay</b>	<i>Garrulus glandarius</i>	18.01
		27.1
<b>Magpie</b>	<i>Pica pica</i>	14.01
		5.04
		25.05
		15.08
<b>Carrion Crow</b>	<i>Corvus corone</i>	1.01
		5.01
		9.01
		18.01
		24.01
		6.03
		15.03
		24.03

		5.04
		21.04
		25.05
		30.06
		3.07
		4.07
		13.07
		14.07
		15.08
<b>Blue Tit</b>	<i>Cyanistes caeruleus</i>	15.08
		3.12
<b>Swallow</b>	<i>Hirundo rustica</i>	25.05
		12.06
		3.07
		4.07
		15.08
		2.09
		10.09
<b>House Martin</b>	<i>Delichon urbicum</i>	10.09
<b>Wren</b>	<i>Troglodytes troglodytes</i>	3.01
		5.01
		14.01
		24.01
		16.10
		3.12
		10.12
		26.12
<b>Blackbird</b>	<i>Turdus merula</i>	14.07
<b>Fieldfare</b>	<i>Turdus pilaris</i>	15.01
<b>Redwing</b>	<i>Turdus iliacus</i>	15.01
<b>Mistle Thrush</b>	<i>Turdus viscivorus</i>	18.01
		24.03
		21.04

		5.05
		30.06
		4.07
		20.11
<b>Robin</b>	<i>Erithacus rubecula</i>	15.01
		24.03
<b>Pied Wagtail</b>	<i>Motacilla alba</i>	1.03
		3.07
		4.07
<b>Meadow Pipit</b>	<i>Anthus pratensis</i>	3.01
		5.01
		14.01
		24.01
		5.02
		16.02
		22.02
		15.03
		8.10
		16.10
		27.10
		15.11
		3.12
<b>Chaffinch</b>	<i>Fringilla coelebs</i>	15.11
<b>Goldfinch</b>	<i>Carduelis carduelis</i>	5.05
		3.07
		4.07
		14.07
		30.07
		15.08
		20.11
		3.12
		19.12
		26.12

<b>Siskin</b>	<i>Spinus spinus</i>	24.01
---------------	----------------------	-------

43 survey visits

(Other sightings in italics)

31 species

New species for the site

**Grey Partridge**

**Red Kite**

**Lapwing**

**Blue Tit**

**House Martin**

**Siskin**

Most frequent	No. of visits seen
Pheasant	20
Carrion Crow	17
Woodpigeon	15
Kestrel	15
Meadow Pipit	13

Largest count	Number
Fieldfare	100
Meadow Pipit	27
Goldfinch	26
Redwing	20
Swallow/Siskin	8

Seen close to the site,  
including fly-overs.  
Not counted in totals



	Freq	No. (red = max)	Visit
A drake off the pond.	1	1	Jan
4 - pair in from south; 2 individuals in the centre.	6	6	
3 - a pair in the centre + a single near the wet patch in the south.		3	
A pair in the SW corner.		2	
A pair in th SW corner.		2	
A pair near the A19 gate.		2	
Two flushed in southern area from amongst the saplings.		2	
2 off area 2 and later 2 off area 4 - probably the same.	2	2	Feb
1 in area 4.		1	
2 melanistic males - 1 close to the eastern boundary; 1 close to the western boundary.	20	2	
3 males in the south (1 melanistic).		3	
Male ring-neck by the main entrance.		1	Mar
Ring-necked male in Bodger's den.		1	
Male ring-neck in centre; female by the southern fence		2	
A pair half way along the western edge.		2	
2 ring-neck males and 2 females in the central area.		4	Apr
A male near the southern damp patch; 5 eggshells on sprayed patch by the A19 gate.		1	
Two males in the northern area.		2	May
A ring-necked male in the south.		1	
A ring-necked male present.		1	Jun
2 ring-necked males in the south.		2	
5 present, including 2 poults.		5	
A ring-necked male amongst the southern trees.		1	
A pair amongst the southern alders; a pair near the western edge; 1 arrived onto the northern area.		5	Jul
A melanistic male near the southern edge.		1	
3present - 2 ring-necked males by the pond; 1 by the centre pylon.		3	
2 ring-necked males on the southern meadow.		2	
1 ring-necked male in the northern dense vegetation		1	
1 ring-necked male in Bodger's den.			Aug
An adult off from near the A19 gate - landed in the south - then off and landed at the mid-eastern boundary.	5	1	
2 present - in in the far north; 1 just south of the centre which then flew south.		2	Sep
1 off the area close to the pond.		1	

1 seen three times by Alison South.		1	
1 flew north, then circled and landed at the pond at 14:00.		1	Oct
1 reported by Alison South.		1	
1 mobbed by 3 Swallows and driven off.			
A preening female perched low just east of the eastern boundary.			Nov
1 flew over at height.	2		
At 18:40 1 hunted as it went north along the eastern boundary without success.		1	
1 over from south to north.			Dec
A 'kettle' of 7 reported by Alison South.			
20 arrived from the south and settled for a time on the northern meadow (Jim Bone).	1	20	
1 on the overhead wires.	5	1	
A pair on the overhead wires.		2	
2 on the overhead wires.		2	
1 on the overhead wires.		1	
1 on the overhead wires.		1	
One on western fence	15	1	
1 on the overhead wires.		1	
1 on the overhead wires.		1	
2 on the overhead wires.		2	
1 on the western fence.		1	
2 on the overhead wires - a predated egg on cut grass.		2	
1 on the overhead wires.		1	
2 on the overhead wires.		2	
1 on the overhead wires.		1	
1 on the overhead wires.		1	
2 on the pylons; 1 on the overhead wires.		3	
1 on the overhead wires.		1	
1 perched on the western fence.		1	
3 - 2 on the first sheep grazed area; 1 on a pylon.		3	
1 off the pond edge.		1	
1 flew along and over western boundary.			
1 in area 11 - Andy Grayson.	1	1	
One hunting in daylight - Susie Brindley.	1	1	



1 on the roof of Bodger's den (probable female), then hunting. 5 unsuccessful drops. A 2nd on a post in the NW.	<b>2</b>	<b>1</b>
1 feeding over the site.		<b>1</b>
1 feeding over the site.		1
One working along the eastern fence posts whilst looking for prey.	<b>1</b>	<b>1</b>
1 at the SW corner then flew off to Approach Farm.	<b>15</b>	1
1 on a low perch just east of the main entrance. Then hunted over 3HW - dropped on prey and missed.		1
1 over from the south to a tree perch just beyond the east perimeter then hunted over the site.		1
1 hunting as it went over to the west.		1
1 hovering over the central area.		1
1 hunting over the southern area.		1
2 on the overhead wires and 1 hunting		<b>2</b>
2 on the overhead wires		<b>2</b>
2 on the pylons; 1 on the overhead wires.		<b>2</b>
1 on the overhead wires.		1
1 hunting over the southern area.		1
1 hunting along the western edge then over the site without stopping.		1
1 hunting along the eastern boundary then perched for 20 minutes whilst overlooking the site.		1
1 perched on the overhead wires.		1
1 perched near the main entrance then hunting over the site.		
1 on the roof of Bodger'd den.	<b>1</b>	<b>1</b>
1 over from west to east.		
1 just in from the mid-western boundary, then up to a fence post.	<b>3</b>	<b>1</b>
1 on the western fence.		<b>1</b>
2 over from west to east.		
1 on the western fence.		<b>1</b>
1 over low and then to a pylon.	<b>17</b>	1
1 on the western grass margin.		1
A pair feeding on cut grass 50m west of Bodger's den.		2
4 feeding on the cut areas amongst the saplings in the central east area.		<b>4</b>
A pair on cut grass in the south.		2
4 present - a pair on the central meadow and a pair in the north.		<b>4</b>
2 present.		2
2 feeding on the central meadow.		2

A pair by the A19 gate.		2
A pair on the northern meadow		2
A pair on the overhead wires.		2
3 near Bodger's den.		3
2 on the main pylon.		2
4 on the areas of cut grass.		4
2 on the cut grass.		2
3 on the cut areas.		3
1 on the southern damp patch.		1
1 off the saplings in the NW - flew to the strip of semi-mature trees by the A19.	2	1
1 briefly on alders near the main entrance.		1
2 hawking over the site.	7	2
2 hawking by the edge of Thyme wood.		2
A maximum of 8 hunting birds.		8
A maximum of 6 hunting birds		6
1 over low.		1
2 arrived from the north and then hunted over the site whilst fairly high up.		2
1 hunting the site.		1
2 hunting just east of Thyme Wood.	1	2
One by the main entrance.	8	1
3 in dense grass along the southern edge.		3
2 present - 1 in the NE uncut area; 1 in the NW uncut area.		2
1 in thick uncut grass near the A19 gate.		1
1 calling from 70m north of Bodger's den.		1
1 in thick vegetation SE of the A19 gate.		1
3 present.		3
1 amongst the uncut knapweed in the SW.		1
1 feeding on the cut area in the SW corner.	1	1
<i>c100 from the south to the northern meadow for a brief period (Jim Bone).</i>	1	<b>c100</b>
<i>c20 with Fieldfare (Jim Bone). Flushed from a stubble field at Approach Farm.</i>	1	<b>c20</b>
A pair on and off the overhead wires to feed on the meadow - then off to Thyme Wood.	7	2
A pair feeding in the SW corner - a nest seen on a Silver Birch in Susie Brindley's garden.		2
A pair feeding close to the western boundary		2

2 predated juvenulies seen. An adult with food was on the roof of Bodger's den then flew into the Hollicarrs.		1
7 on the overhead wires.		7
3 on the overhead wires - one with food went off to the Hollicarrs.		3
2 on the overhead wires.		2
1 on and off the site near to the main entrance.	2	1
1 on and off the site near to the main entrance.		1
<i>One present - Alison South</i>	3	1
2 adults and a juvenile feeding around the southern damp patch,		3
2 adults present on the southern damp patch.		2
A maximum of 22 on rough grass east of the centre pylon.	13	22
14 on cut grass between the saplings in central area.		14
26 on grass cut around the saplings about 60m north of Bodger's den - becoming tamer - 1 slightly darker.		26
26 on cut grass between the saplings in the centre east then up to the overhead wires. All MPs.		26
1 on the overhead wire, then 26 came in from the south.		27
25 on the overhead wires.		25
27 present.		27
24 feeding on the southern wet patch.		24
2 on the overhead wires and 4 out of the rough in the mid-south area.		6
1 flying to the Hollicarrs from the mid south boundary.		1
5 present in the central area.		5
3 - flying about.		3
8 arrived from the south and then perched on the overhead wires.		8
1 flew south along the W boundary, then flew across and perched on the overhead wires.	1	1
6 flying about the site.	10	6
A charm of 11 present.		11
A charm of 9 present.		9
26 feeding on knapweed seeds, mostly in the south.		26
22 feeding on knapweed seeds.		22
8 present under and on the overhead wires.		8
14 on the overhead wires.		14
12 on and off from Thyme Wood to nearest knapweed heads + 1 with Meadow Pipits on the overhead wires		13
22 feeding on knapweed seeds in the northern area.		22
26 present - 22 on the overhead wires and below + 4 on the alders near the main entrance.		26

Seen on trees near the main entrance then 8 dropped onto the large alders on 3HW to feed on the cones

1

8

dates

1  
3  
5  
9  
14  
18  
24  
5  
6  
16  
22  
6  
15  
16  
24  
5  
21  
5  
25  
5  
12  
23  
30  
3  
4  
13  
14  
30  
15  
27  
2  
10

26  
8  
16  
27  
9  
15  
20  
3  
10  
19  
26

Nothing